



PURCHASE ORDER

Procurement Unit
Tel. No.: 045-606-8142 / 606-8157

DELIVERY DUE DATE: 4/30/23

Supplier : **THE BRAIN COMPUTER CORPORATION**
Address : **TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis. San Juan City**
Type of Business : **Merchandising**
TIN No. : **003-508-768-000**
Tel. No. : **(02) 8721-2466 / 8722-8843 / 8722-8845**

PR No.: **2021-10-244**
PO No.: **2023-041**
Date: **1/31/2023**
Mode of Procurement: **Public bidding**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY**
Date of Delivery:
Delivery Term: **60 Calendar days**
Payment Term: **N/30**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
1	pc	Professional Teleprompter with Single LCD and Tripod Stand , APEX Digital, APEX 20inches; Teleprompter bracket; 20 inch LCD Display; VGA or HDMI cable; Camera bracket; Imported Glass Mirror (46*48cm); Power plug wire; HDMI Cable; Teleprompter Cap / Hood; Software; 0 Wireless Remote; Self-checking screen, the broadcaster can view his image at any time; Built-in auto-reversing; Full HD LCD monitor; The monitor support VGA,HDMI,AV SDI video port; The monitor support all kinds of language setting; High quality wide-screen 1440*900 resolution	1	118,800.00	118,800.00
2	pc	DVD HOME ENTERTAINMENT SYSTEM WITH SATELLITE SPEAKERS , LG LHD657 DVD HTS; 5.1 Channel; Bluetooth; USB Direct Recording; Bass Blast Subwoofer; 1080p Up-scaling; AMPLIFIER, Channel: 5.1; Watts: 1,000 watts RMS; Front Speakers L/R: 167Wx2(30); Center Speaker: 167W(30); Surround L/R: 167Wx2(30); Sub-Woofers: 167W(30); CONNECTIONS: 1 HDMI Output: (19 pin standard); Audio In-put L/R; 1 Digital Optical In: (3V (p-p)1), Optical jack; 1 Bus Power supply (USB): DC 5V = 2.1 A; Portable: 1 Portable In; Mic in-put: 2 Mic in-put(\$6.3); Composite: 1 Composite; Radio: FM Radio; DIMENSIONS: Main: (360 x 60,5 x 299) mm; Front Speaker: (250 x 1100 x 250) mm; Center Speaker: (260 x 93 x 74) mm; Rear Speaker: (250 x 1100 x 250) mm; Subwoofer: (191 x 388.5 x 318) mm	1	23,040.00	23,040.00
3	pc	SMART LED TV , SAMSUNG UA75AU7000GXXP Display: Screen Size: 75"; Resolution: 3,840 x 2,160; Picture Engine: Crystal Processor 4K; PQI (Picture Quality Index): 2000; HDR (High Dynamic Range): HDR; HDR 10+; Support; HLG (Hybrid Log Gamma): Yes; Contrast: Mega Contrast; Color: Pur Color; Micro Dimming: UHD Dimming; Contrast Enhancer: Yes; Auto Motion Plus: Yes; Film Mode: Yes; Natural Mode Support: Yes; Audio: Dolby Digital Plus: Yes; Q-Symphony: Q-Symphony; Sound Output (RMS): 20W; Speaker Type: 2CH; Multiroom Link: Yes; Bluetooth Audio: Yes; Smart Service: Operating System: Tizen; Web Browser: Yes; SmartThings App Support: Yes; Gallery: Yes; Eco Feature; Eco Sensor: Yes; Power: Power Supply: AC100-240V 50/60Hz; Power Consumption (Max): 260 W; Dimension: Set Size with Stand (WxHxD): 1673.2 x 1047.9 x 341.1 mm; Set Size without Stand (WxHxD): 1673.2 x 958.2 x 59.9 mm; Weight: Set Weight with Stand: 30.8 kg; Set Weight without Stand: 30.4 kg	5	138,240.00	691,200.00
4	pc	PROFESSIONAL LARGE DIAPHRAGM CONDENSER MICROPHONE , SHURE SM27SC; Cartridge type: Externally Biased Condenser; Frequency response: 20 to 20,000Hz; Directional polar pattern: Cardioid; Output impedance: EIA Rated at 150? (140? actual); Attenuation switch: 0 or 15dB attenuation; Low Frequency response switch: Flat, -6db/octave below 115Hz, -18dB/octave below 80Hz; Phantom power: 48 Vdc ±4 Vdc (IEC 268 15/DIN 45 596), positive pins 2 and 3; Current drain: 5.4 mA typical at 48 Vdc; Common mode rejection: >50dB, 20Hz to 20kHz; Polarity: Positive pressure on diaphragm produces positive voltage on output pin 2 relative to pin 3; Dimensions and Weight: 53.0mm (2.08") maximum body diameter, 156.2mm (6.15") long; 642 grams (22.6 oz.); Sensitivity: (typical, at 1000Hz; 1Pa = 94 dB SPL): -37 dBV/Pa; Self noise (typical, equivalent SPL; A weighted, IEC 651): 9.5dB; Maximum SPL (1000Hz at 1% THD) : 2500? load (Attenuator on): 138 (153) dB, 1000? load (Attenuator off): 133 (148)dB; Output Clipping Level (20Hz to 20kHz; THD < 1%. THD of the microphone preamplifier when applied input signal is equivalent to the cartridge output at specified SPL): 2500? load (7 dBV), 1000? load (1 dBV); Dynamic Range: 2500? load (128dB), 1000? load (123dB); Signal-to-Noise ratio (S/N ratio is difference between 94dB SPL and equivalent SPL of self- noise A-weighted): 84.5dB	2	37,680.00	75,360.00
Sub Total:					908,400.00

(Total Amount in Words) One Million Eight Hundred Eighty Seven Thousand Three Hundred Thirty Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme: 2/20/23

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

Very truly yours,

DR. GRACIA N. ROSETE
Vice President for Administration
Authorized Official

COMMISSION ON AUDIT - TSU
RECEIVED
MAR 01 2023

ALOBS No.:
Amount:



PURCHASE ORDER

Procurement Unit
Tel. No.: 045-606-8142 / 606-8157

DELIVERY DUE DATE: 4/30/23

Supplier: **THE BRAIN COMPUTER CORPORATION**
Address: **TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City**
Type of Business: **Merchandising**
TIN No.: **003-508-768-000**
Tel. No.: **(02) 8721-2466 / 8722-8843 / 8722-8845**

PR No.: **2021-10-244**
PO No.: **2023-041**
Date: **1/31/2023**
Mode of Procurement: **Public bidding**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **60 Calendar days**
Date of Delivery: _____ Payment Term: **N/30**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
<i>Balance Forwarded:</i>					
5	pc	LIGHTWEIGHT ON-CAMERA MICROPHONE, SARAMONIC CAMMIC+; Type: Condenser Microphone; Polar Pattern: Directional; Frequency Range: 40Hz to 10 kHz (selectable HPF 80 Hz); Sensitivity: -45dB +/- 3dB (0dB=1V/Pa, at 1 KHz); Maximum input S.P.L: f=1 kHz, THD<5% (106 dB); Output Impedance: 200 ohm; Signal to Noise Ratio: 80 dB SPL; Power Requirement: One AA battery; Weight: 107g; Dimensions: 164.4 x 53.9 x 83.5 mm	2	9,610.00	19,220.00
6	pc	HANDY MOBILE RECORDER, ZOOM H4N Pro; Four-track simultaneous recording; High-fidelity mic preamps; Built-in X/Y stereo microphones, adjustable between 90° and 120; Record up to 140 dB SPL with X/Y microphones; Two mic/line level inputs with XLR/TRS combo connectors; Stereo 1/8" Mic In mini phone jack; +24 or +48V phantom power for main inputs and Plug-in power (2.5V) via Mic/Line In mini phone jack; Output/headphone jack with dedicated volume control; Records directly to SD and SDHC cards up to 32 GB; Supports up to 24-bit/96 kHz audio in BWF-compliant WAV or a variety of MP3 formats; Built-in effects, including compression/limiting, low-cut filtering, modulation, reverb/delay and amp models; 2-in/2-out USB audio interface for PC/Mac computers; Mounts to mic stand or tripod, or directly to DSLR with optional Hot Shoe adapter; Runs on 2 standard AA alkaline or NiMH rechargeable batteries with up to 5.5 hours of operation (up to 8 hours in Stamina mode)	1	23,330.00	23,330.00
7	pc	SOUND SYSTEM, Topp Pro KS HD12A - 12" Powered Speaker (2 units); Speaker stand (2 units); Proel S15A-15" Powered Subwoofer (2 units); Topp Pro T2208 - Digital Mixer (1 unit); Shure SM58LC - Wired Vocal Handheld Microphone (1 unit); Beyerdynamic TG550 - Wireless Handheld Microphone (1 unit); XLR Male Connectors (30 pcs.); XLR Female Connectors (30 pcs.)	1	490,000.00	490,000.00
8	pc	AMPLIFIED SPEAKER SYSTEM, EK AUDIO PS-1215BT; Dimension: 15"; SNR: 102 db; Output Power: 80 W; Connection Type: electric wire; Shell Material: Plastic; Format: SD/USB/BT; The body material: Plastic; radio function: Yes; LF Components: 15" Woofer; HF Components: 3.2" Ti.Diap.Driver 1" VC; Color: Black; Microphone: 2 x Wireless VHF; Power supply: AC1115V-230V(50-60Hz)+DC12V; Material: Plastic Cabinet; Sample: Available; Battery capacity: 12V 7A; Certification: FCC	1	20,200.00	20,200.00
9	pc	MONITOR TROLLEY STAND, TRUEVISION TV22-30T; Height adjustable movable TV Stand; TV Screen Size: 32"-70"; Max Weight: 40 kg / 88 lbs; Supported VESA: 200x200mm, 300x200mm, 300x300mm, 400x200mm, 400x300mm, 400x400mm, 400x600mm; Adjustment Range: 1177-1717mm; Adjustable Angle: +5 15°; Material: Powder Coated Steel; Silent lockable wheels; Heavy-Duty Casters: Smooth mobility with quality that lasts a lifetime; Power board and cable management; Height Adjustable Equipment Shelf: provides more storage space for accessories	2	9,650.00	19,300.00
10	pc	LIGHT STAND, PXEL Heavy Duty; Air Cushioned; 280cm; Metal Joint Connector	4	4,750.00	19,000.00
Sub Total:					1,499,450.00

(Total Amount in Words) One Million Eight Hundred Eighty Seven Thousand Three Hundred Thirty Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. GRACE N. ROSETE
Vice President for Administration
Authorized Official

Conforme:

NOEL G. ASIWO 2/20/23

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

COMMISSION ON AUDIT TSU
RECEIVED
MAR 07 2023

ALOBS No.: **06-20041-2023-02-0112**
Amount: **1,499,450.00**



PURCHASE ORDER

DELIVERY DUE DATE: 4/30/23

Procurement Unit
Tel. No.: 045-606-8142/ 606-8157

Supplier : **THE BRAIN COMPUTER CORPORATION**
Address : **TBCC Bldg. No. 150 F. Blumentritt St. Brgy. Batis, San Juan City**
Type of Business : **Merchandising**
TIN No. : **003-508-768-000**
Tel. No. : **(02) 8721-2466 / 8722-8843 / 8722-8845**

PR No.: **2021-10-244**
PO No.: **2023-041**
Date: **1/31/2023**
Mode of Procurement: **Public bidding**

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **60 Calendar days**
Date of Delivery: Payment Term: **N/30**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
Balance Forwarded:					1,499,450.00
11	set	VIDEO OR PHOTO TRIPOD DOLLY, FOLDABLE AND COMPACT, BENRO DL06; Tripod Foot Compatibility: Round Feet; Working Footprint: 33.5/85.1 cm; Adjustable Footprint: No; Load Capacity: 50 lb/22.7 kg; Closed Length: 21.3" / 54 cm; Locking Wheels: Yes; Wheel Diameter: 3" / 7.6 cm; Cable Guards: No	2	8,640.00	17,280.00
12	set	VIDEO TRIPOD KIT, BENRO KH25N; Two-Stage Aluminum Tripod With 60mm Bowl; Supports Loads Up To 11 Lb; Fixed Pan/Tilt Drag With Independent Pan/Tilt Locks; Sliding Quick Release Plate; Pan Handle Attaches To Either Side Of Head; 28.9 To 61" Height Range; Fixed, Non-Removable Mid-Level Spreader; Independent Leg Adjustment Using Twist-Lock Levers; Rubber Feet With Enclosed Metal Spikes For Use On A Variety Of Surfaces; Head-Mounted Bubble Level; 30.5" Folded Length	2	14,850.00	29,700.00
13	pc	VIDEO LIGHTS STUDIO, YONGNUO YN60011-L; Light Source: 600 LED beads; Luminance Angle: 55°; Color Temperature 5500k; Color Rendering Index:>95%; Remote Control Distance: more than 15m; Power: 36W; Weight: 1320g; Lumen: 4800LM; Size:260*188*40; Average Service Life: 50000H; Power Source: Two lithium batteries or external 8V and 5A direct current power supply (not included); Package Content: YN600L II 5500K LED light Panel x 1; 2.4G Wireless x 1; Hand Grip x 1; User Manual x 1; CT Filters x 2	2	18,450.00	36,900.00
14	pc	SECURITY SURVEILLANCE AND DETECTION EQUIPMENT, Security Surveillance and Detection Equipment; Hikvision DS-9600NI-18- NVR (1 unit); Hikvision DS-2CD1123G0E-1-2MP Fixed Dome Network Camera (16 units)	1	166,000.00	166,000.00
15	set	ELECTRICIAN'S MULTIMETER WITH NON-CONTACT VOLTAGE, FLUKE 117; VoltAlert technology for non-contact voltage detection; AutoVolt automatic ac/dc voltage selection; LoZ: helps prevent false readings due to ghost voltage; Large white LED backlight to work in poorly lit areas; True-rms for accurate measurements on non-linear loads; Measures 20 A (30 seconds momentary; 10 A continuous); Resistance, continuity, frequency and capacitance; Min/Max/Average to record signal fluctuations; Compatible with optional magnetic hanger; (ToolPak) for hands free operation; CAT III 600 V safety rated; True RMS; 5% Accuracy; 28% larger digits; 6000 counts; Bargraph	2	69,000.00	138,000.00
					1,887,330.00
***** <i>Purpose: Negotiated Procurement for the Supply and Delivery of Audio-Visual Equipment for the College of Arts and Social Sciences</i>					

(Total Amount in Words) One Million Eight Hundred Eighty Seven Thousand Three Hundred Thirty Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conforme: *[Signature]* 2/20/23

Very truly yours,

DR. GRACE N. ROSETE
Vice President for Administration
Authorized Official *[Signature]*

THE BRAIN COMPUTER CORPORATION

(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

COMMISSION ON AUDIT TSU
RECEIVED
MAR 01 2023

Funds Available:
JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : **16-M44-2023 02-012**
Amount : **1,887,330.00**